

SAFETY DATA SHEET

1. Identification

Product identifier Specialty Orange Engine Coolant Revitalizer

Other means of identification

FIR No. 186446

Recommended use Antifreeze/Coolant Additive (Reinhibitor) For Use In Diesel Engine Cooling Systems

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name Ford Motor Company

Address Attention: SDS Information, P.O. Box 1899

Dearborn, Michigan 48121

USA

1-800-392-3673 Telephone

SDS Information 1-800-448-2063 (USA and Canada)

fordsds.com

Emergency telephone

numbers

Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

2. Hazard(s) identification

Not classified. **Physical hazards**

Health hazards Acute toxicity, oral Category 4

> Specific target organ toxicity, single exposure Category 1 Specific target organ toxicity, repeated Category 1

exposure

Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements



Signal word

Hazard statement Harmful if swallowed. Causes damage to organs. Causes damage to organs through prolonged or

repeated exposure.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product.

If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If exposed: Call a poison Response

center/doctor.

Store locked up. Protect from sunlight. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Hazard(s) not otherwise

HARMFUL OR FATAL IF SWALLOWED.

classified (HNOC) Aspiration may cause pulmonary edema and pneumonitis. Vapors have a narcotic effect and may

cause headache, fatique, dizziness and nausea. Inhalation of vapors/fumes generated by heating this product may cause respiratory irritation with throat discomfort, coughing or difficulty breathing. Causes skin and eye irritation. Components in this product have been shown to cause birth

defects and reproductive disorders in laboratory animals.

Supplemental information 43.97% of the mixture consists of component(s) of unknown acute oral toxicity.

FIR No.: 186446 1/8 Version: 02

Issue Date: 07-19-2018

SDS US

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHYLENE GLYCOL		107-21-1	35.12
2,2'-Oxydiethanol		111-46-6	1.89

4. First-aid measures

InhalationMove to fresh air. Call a physician if symptoms develop or persist.Skin contactImmediately take off all contaminated clothing. For skin contact, wash immediately with soap and water. Get medical attention if irritation develops and persists.Eye contactImmediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.IngestionCall a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.Most importantConvulsions. Dizziness. Nausea, vomiting. Abdominal pain. Prolonged exposure may cause

symptoms/effects, acute and delayed Indication of immediate

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

medical attention and special treatment needed

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Alcohol resistant foam. Powder. Carbon dioxide (CO2).

chronic effects.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift. This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Wear appropriate personal protective equipment. For personal protection, see Section 8 of the SDS.

FIR No.: 186446 SDS US
Version: 02 2 / 8

Issue Date: 07-19-2018

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL. TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. ACGII	I Threshold	Limit Values
-----------	-------------	---------------------

Components	Туре	Value	Form
ETHYLENE GLYCOL (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
US. Workplace Environmental E	xposure Level (WEEL) Guides		
Components	Туре	Value	
2,2'-Oxydiethanol (CAS 111-46-6)	TWA	10 mg/m3	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, appropriate local controls

exhaust ventilation, or other engineering controls to control airborne levels below the

recommended exposure limits/quidelines.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Suitable chemical protective gloves should be worn when the potential exists for skin exposure. Hand protection

> The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Use protective gloves made of: Neoprene.

Polyvinyl chloride (PVC). Rubber gloves.

Other Wear appropriate chemical resistant clothing if applicable.

Respiratory protection If engineering controls do not maintain airborne concentrations to a level which is adequate to

protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection

Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid.

Color Yellow-orange. Odor Characteristic. **Odor threshold** Not available. pН 8 - 10.5

< 32 °F (< 0 °C) Melting point/freezing point

248 °F (120 °C) (248°F) Initial boiling point and boiling

range

> 215.6 °F (> 102.0 °C) SETAFLASH Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable.

SDS US FIR No.: 186446

Issue Date: 07-19-2018

Version: 02

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure
Not available.
Vapor density
Not available.

Relative density 1.1

Relative density temperature 39.2 °F (4 °C)

Solubility(ies)

Solubility (water) COMPLETE

Partition coefficient Not available.
(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents. Strong acids.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs by inhalation. May cause damage to organs through prolonged or

repeated exposure by inhalation. Vapors have a narcotic effect and may cause headache, fatigue,

dizziness and nausea. Prolonged inhalation may be harmful.

Skin contact May be irritating to the skin.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion HARMFUL OR FATAL IF SWALLOWED.

Symptoms related to the physical, chemical and toxicological characteristics

Convulsions. Dizziness. Nausea, vomiting. Abdominal pain.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. May be fatal if swallowed and enters airways. HARMFUL OR

FATAL IF SWALLOWED.

May cause respiratory irritation. May irritate eyes and skin.

 Components
 Species
 Calculated/Test Results

 2,2'-Oxydiethanol (CAS 111-46-6)
 Acute

 Dermal
 LD50
 Rabbit
 11890 mg/kg

 Oral
 LD50
 Cat
 3300 mg/kg

 Dog
 9000 mg/kg

FIR No.: 186446 SDS US

Issue Date: 07-19-2018

Version: 02

Components	Species	Calculated/Test Results	
	Guinea pig	8700 mg/kg	
		14 g/kg	
	Mouse	26500 mg/kg	
		23700 mg/kg	
		13.3 g/kg	
	Rabbit	26.9 g/kg	
	Rat	16600 mg/kg	
		12565 mg/kg	
		15.6 g/kg	
Other			
LD50	Mouse	22500 mg/kg	
		9.6 g/kg	
	Rabbit	2000 mg/kg	
	Rat	18800 mg/kg	
		7700 mg/kg	
		18.8 g/kg	
		8.9 g/kg	
		7.7 g/kg	
THYLENE GLYCOL (CAS 107	⁻ -21-1)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	9530 mg/kg	
Oral			
LD50	Cat	1650 mg/kg	
	Dog	> 8.81 g/kg	
		5500 mg/kg	
	Guinea pig	8.2 g/kg	
	Mouse	14.6 g/kg	
	Rat	5.89 g/kg	
Other			
LD50	Mouse	10 g/kg	
		5.8 g/kg	
	Rat	5010 mg/kg	
		3260 mg/kg	
		2800 mg/kg	
kin corrosion/irritation	Prolonged skin contact may cause tem	porary irritation.	
erious eye damage/eye ritation	Direct contact with eyes may cause temporary irritation.		
espiratory or skin sensitizati	on		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause s	This product is not expected to cause skin sensitization.	
erm cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overa Not listed.	Il Evaluation of Carcinogenicity		
not noted.			

FIR No.: 186446 SDS US

Components in this product have been shown to cause birth defects and reproductive disorders in laboratory animals.

Version: 02

Reproductive toxicity

Issue Date: 07-19-2018

Specific target organ toxicity -

single exposure

Causes damage to organs. Heart. Kidneys. Central nervous system. Lungs.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure. Heart. Kidneys. Central

nervous system. Lungs.

If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary **Aspiration hazard**

injury or death.

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Ecotoxicity

Components		Species	Calculated/Test Results
2,2'-Oxydiethanol (C/	AS 111-46-6)		
Aquatic			
Fish	LC50	Western mosquitofish (Gamb	ousia affinis) > 32000 mg/l, 96 hours
ETHYLENE GLYCOI	_ (CAS 107-21-1)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephale	s promelas) 8050 mg/l, 96 hours

LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ETHYLENE GLYCOL -1.36

Mobility in soil No data available. This product is miscible in water and may not disperse in soil.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations

Hazardous waste code

Dispose in accordance with all applicable regulations.

D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US federal regulations**

Standard, 29 CFR 1910.1200.

FIR No.: 186446 SDS US 6/8 Version: 02

Issue Date: 07-19-2018

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ETHYLENE GLYCOL (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Acute toxicity (any route of exposure)

categories Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.ETHYLENE GLYCOL107-21-135.12

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

ETHYLENE GLYCOL (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to chemicals including 1,4-DIOXANE, which is known to the State of

California to cause cancer, and ETHYLENE GLYCOL, which is known to the State of California to

cause birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-DIOXANE (CAS 123-91-1) Listed: January 1, 1988

California Proposition 65 - CRT: Listed date/Developmental toxin

ETHYLENE GLYCOL (CAS 107-21-1) Listed: June 19, 2015

International Inventories

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

16. Other information, including date of preparation or last revision

 Issue date
 07-19-2018

 Revision date
 07-19-2018

Version 02

HMIS® ratings Health: 2

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 1 Instability: 0

Preparation Information and

Disclaimer

This document was prepared by FCSD-Toxicology, Ford Motor Company, Fairlane Business Park IV, 17225 Federal Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer packaged product

labels, the SDS should be followed.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

FIR No.: 186446 SDS US

Issue Date: 07-19-2018

Version: 02

Part number(s) VC-12

FIR No.: 186446 SDS US

Version: 02 Issue Date: 07-19-2018